

ECODESIGN INFORMATION

Applies to non-residential ventilation units (NRVU)

According to Regulation EU No 1253/2014 of the European Commission, implementing Directive 2009/125/CE of European Parliament

SISTEVEN, S.L.U.

www.sisteven.es

c) Typology
d) Type of drive
e) Type of HRS

g) Nominal flowrate
h) Effective electric power input
i) SFPint

k) Nominal external pressure
l) Internal pressure drop of ventilation components
m) Internal pressure drop of non-ventilation components

327/2011
o1) Max. Internal leakage index
o2) Max. External leakage index
p) Energy performance of the filters

r) LWA radiated

b)	c)	d)	e)	f)	g)	h)	i)	j)	k)	l)	m)	n)	o1)	o2)	p)	q)	r)	ERP
				%	m ³ /s	kW	W/m ³ /s	m/s	Pa	Pa	Pa	%	%	%			dBA	
CAKS/EC-220	NRVU / UVU	VSD not necessary	Not applicable		0.142	0.166	230	1.80	368			31.5	2.5		Not applicable	Not applicable	58	2018
CAKS/EC-250	NRVU / UVU	VSD not necessary	Not applicable		0.204	0.201	230	2.10	344			34.8	2.5		Not applicable	Not applicable	59	2018
CAKS/EC-310	NRVU / UVU	VSD not necessary	Not applicable		0.260	0.203	230	2.60	242			31.0	2.5		Not applicable	Not applicable	50	2018
CAKS/EC-400	NRVU / UVU	VSD not necessary	Not applicable		0.487	0.499	230	3.10	381			37.2	2.5		Not applicable	Not applicable	55	2018
CAKS/EC-500	NRVU / UVU	VSD not necessary	Not applicable		1.018	1.053	230	5.20	429			41.5	2.5		Not applicable	Not applicable	49	2018